

NFRC Product Certification Authorization Report



Manufacturer: Coastal Industries, Inc. **Product Series:** CII-S-3770 Single Hung **Simulation Lab:** SEEL **Initial Cert. Date:** 11/18/2015
Street: 77 Newark Street **Product Type:** VSSH **Sim. Report #:** CII23101332-dR **Re-Certification Date:** 06/06/2023
City/State/Zip: Haverhill, MA 01832 **Air Leakage:** **Sim. Report Date:** 02/22/2023 **Revised Date:** 03/03/2023
Print Date: 10/04/2023 **Test Date:** 03/25/2022 **Expiration Date:** 03/25/2027

CPD Number: COA-M-22

IA: National Accreditation And Management Institute

Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res
	00005-00001	7036-arg95-GCI dl	VY/VY	2	0.036(2)	0.646	P2-S	Fill 1: ARG(95/5)	N		CL	0.28	0.30	0.54	58
	00005-00002	7036-arg95-GCI dl Rectangular	VY/VY	2	0.036(2)	0.646	P2-S	Fill 1: ARG(95/5)	G	0.75	CL	0.28	0.27	0.48	58
	00005-00003	7036-arg95-GCI dl SDL	VY/VY	2	0.036(2)	0.646	P2-S	Fill 1: ARG(95/5)	S	0.75	CL	0.28	0.27	0.48	58
	00006-00001	CG70-arg95-GCI dl	VY/VY	2	0.025(2)	0.646	P2-S	Fill 1: ARG(95/5)	N		CL	0.28	0.27	0.53	58
	00006-00002	CG70-arg95-GCI dl Rectangular	VY/VY	2	0.025(2)	0.646	P2-S	Fill 1: ARG(95/5)	G	0.75	CL	0.28	0.24	0.47	58
	00006-00003	CG70-arg95-GCI dl SDL	VY/VY	2	0.025(2)	0.646	P2-S	Fill 1: ARG(95/5)	S	0.75	CL	0.28	0.24	0.47	58
	00007-00001	CG70-arg95-CG70-arg95-CG70 dl Lower Saetting Block	VY/VY	3	0.025(2), 0.025(4), 0.025(5)	0.271,0.271	P2-S	Fill 1: ARG(95/5) , Fill 2: ARG(95/5)	N		CL	0.22	0.20	0.34	69
	00008-00001	CG70-arg95-CG70-arg95-CG70 dl Lower Saetting Block Rectangular	VY/VY	3	0.025(2), 0.025(4), 0.025(5)	0.271,0.271	P2-S	Fill 1: ARG(95/5) , Fill 2: ARG(95/5)	G	0.75	CL	0.23	0.18	0.30	69
	00009-00001	CG70-arg95-CG70-arg95-CG70 dl Lower Saetting Block SDL	VY/VY	3	0.025(2), 0.025(4), 0.025(5)	0.271,0.271	P2-S	Fill 1: ARG(95/5) , Fill 2: ARG(95/5)	S	0.75	CL	0.23	0.18	0.30	69

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TAIR	03/25/2022	1500 mm x 1200 mm	0.260	0.260	NV-03669-D

Comments: CII23101332-d-A1 added options 7 - 9 on 10/04/2023.

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA
Signature: _____

