

# NFRC Product Certification Authorization Report



**Manufacturer:** Coastal Industries, Inc.      **Product Series:** S-3200 Fixed Picture      **Simulation Lab:** SEEL      **Initial Cert. Date:** 06/09/2015  
**Street:** 77 Newark Street      **Product Type:** FIXD      **Sim. Report #:** CII20M00433-d      **Re-Certification Date:** 08/28/2020  
**City/State/Zip:** Haverhill, MA 01832      **Air Leakage:** ≤ 0.3      **Sim. Report Date:** 04/02/2020      **Revised Date:** 01/01/1970  
**Print Date:** 08/28/2020      **Test Date:** 04/10/2019      **Expiration Date:** 04/10/2024

CPD Number: COA-M-20      IA: National Accreditation And Management Institute

Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.
	00003-00001	7036-arg95-GCL  dl	VY/NA	2	0.036(2)	0.687	P1-S	Fill 1: ARG/AIR(95/5)	N		CL	0.26	0.33	0.61	65
	00003-00002	"7036-arg95-GCL  dl  Grids < 1""	VY/NA	2	0.036(2)	0.687	P1-S	Fill 1: ARG/AIR(95/5)	G	0.75	CL	0.26	0.30	0.55	65
	00003-00003	"7036-arg95-GCL  dl  SDL < 1""	VY/NA	2	0.036(2)	0.687	P1-S	Fill 1: ARG/AIR(95/5)	S	0.75	CL	0.26	0.30	0.55	65
	00004-00001	7036-arg95-GCL-arg95-7036  dl	VY/NA	3	0.036(2), 0.036(5)	0.541,0.541	P1-S	Fill 1: ARG/AIR(95/5) , Fill 2: ARG/AIR(95/5)	N		CL	0.14	0.29	0.48	82
	00004-00002	"7036-arg95-GCL-arg95-7036  dl  Grids < 1""	VY/NA	3	0.036(2), 0.036(5)	0.541,0.541	P1-S	Fill 1: ARG/AIR(95/5) , Fill 2: ARG/AIR(95/5)	G	0.75	CL	0.14	0.26	0.43	82
	00004-00003	"7036-arg95-GCL-arg95-7036  dl  SDL < 1""	VY/NA	3	0.036(2), 0.036(5)	0.541,0.541	P1-S	Fill 1: ARG/AIR(95/5) , Fill 2: ARG/AIR(95/5)	S	0.75	CL	0.14	0.26	0.43	82

---

**Baseline Information**

<b>Test Lab</b>	<b>Test Date</b>	<b>Test Size</b>	<b>Tested U-Value</b>	<b>Standard U-Value</b>	<b>Test Report Number</b>
<b>TAIR</b>	<b>04/10/2019</b>	1200 mm x 1500 mm	0.190	0.190	NV-03269-P

**Comments:** Air Leakage: AI-03523-H2

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA  
Signature: \_\_\_\_\_

